PURE ORIGIN

ALUMINIUM

WINDOWS & DOORS

PRODUCT CATALOGUE

Sliding Doors | Folding Doors

Casement Windows | Lift-and-Slide Systems

PRODUCT COLLECTION




High-end quality

Doors and windows


One-stop space solutions

SKL:68 Heavy-Duty Folding Door



PRODUCT FEATURES

- Maximum opening area, wide view; foldable design saves space
- Anti-pinch gap design for user-friendly collision prevention
- Equipped with anti-fall safety system for a secure environment
- Fully hidden hinges: strong load-bearing and sleek appearance
- Innovative stacking design: wider view + larger opening range
- Supports multiple opening combinations, customizable as needed



Anti-pinch large rubber strip



Silver

Hardware Handle





LY:130 Heavy-Duty Lift-and-Slide Door



PRODUCT FEATURES

* Heavy-duty lifting design: Effortless sliding, wider opening range
* 3.0mm 6063-T5 aviation-grade aluminum profile + 5mm+20A+5mm glass
* Stock colors: Starry Coffee/Metal Gray/Starry Gray
* Metal powder coating: Scratch-resistant, durable
* Sunken track: Anti-derailment stability
* German GU hardware system: Lifting handle + lock set
* Integrated armrest: Wind-resistant & comfortable
* Patented pulley: Silent & smooth
* 10-year glass warranty (automotive-grade insulated tempered glass)



Self-developed pulley



Recessed Track Fan Housing Structure

High-end quality

One-stop space solutions

GJ:110 Integrated Screen and Window Outward-Opening

PRODUCT FEATURES

* PA66GF25 Multi-chamber Strip: Insulation, Flame-retardant & Anti-aging
* 2.0mm 6063-T5 Aerospace-grade Aluminum
* Closed Bevel Pressing Line
* Fluorite Gray Integrated Bent Spacer
* 5+20A+5 Auto-grade Glass (Insured·3C Certified)
* Outdoor Glue-free Install: Easier
* Auto-grade EPDM Seal: Superior Sealing
* Floor Drain System: Unobstructed Drainage
* Vertical Isotherm: Insulation
* Optional Openable/Removable Guardrail: Safer
* Standard Plus Alloy Mesh: Ventilation & Protection
* Optional Frame Glue Injection
* Opening: Outward/Top-hung
* Antai Sealant: Weather-resistant & Odorless
* Upgraded 3-seal: Optimized Duckbill Glue
* Hidden Sub-frame: Safe & Easy Install
* 5-chamber Frame: High Load-bearing & Stable





Standard:
HOPO Lever Handle with Base



Optional:
HOPO Lever Handle without Base



/

COMFORTABLE

A beautiful life quietly unfolds A moment of heartfelt delight
Lightly savor the encounter!

Various visions of “home”—whether tender, charming, or minimalist—take on endless forms and pairings with boundless creativity. Yet they all share one common thread: a sense of security and the power to heal.

High-end quality


Doors and windows

One-stop space solutions

ZJ:110 Integrated Screen and Window Outward-Opening

PRODUCT FEATURES

* Outward-opening window structure with inward-opening performance
* Stacked frame edge (enhances water resistance)
* 22mm glass groove (more stable for large glass)
* Multi-chamber reinforcement (boosts large glass stability)
* Full-closed pressing line (boosts large glass stability)
* Full-glue-injected chamber (enhances sealing)
* Vertical isothermal thermal strip
* Thickened screw connections
* Insert-type thermal strip structure
* Multi-seal rubber strips (improves overall performance)
* Combined bevel/flat pressing lines (mixed design)



Standard Edition Complete Set of Simec Hardware



QUALITY OF LIFE



Let every ray of sunlight become a vibrant splash of color in your life through the ultimate transparency of our system windows.

High-end quality


Doors and windows

One-stop space solutions


ZJ:120 Integrated Window Screen Outward-Opening Window

PRODUCT FEATURES

* Outward-opening frame with inward-opening performance
* Stacked frame edge (enhances water resistance)
* 22mm glass groove (more stable for large glass)
* Multi-chamber reinforcement (boosts large glass stability)
* Full-closed pressing line (boosts large glass stability)
* Full-glue-injected chamber (enhances sealing)
* Vertical isothermal thermal strip
* Thickened screw connections
* Insert-type thermal strip structure
* Multi-seal rubber strips (improves overall performance)
* Combined bevel/flat pressing lines (mixed design)







Burglar-proof, soundproof, heat-insulated
Unlocking new frontiers in home
aesthetics through the pursuit of perfection



One-stop space solutions

ZJ:110/120 Double-Inward Opening and Tilting System Window

PRODUCT FEATURES

* Inward-opening window performance
* Stacked frame edge (enhances water resistance)
* Glass groove depth: 22mm
* Multi-chamber reinforcement (boosts large glass stability)
* Full-closed pressing line (boosts large glass stability)
* Full-glue-injected chamber (enhances sealing)
* Vertical isothermal thermal strip
* Thickened screw connections (more secure)
* Insert-type thermal strip structure
* 5-seal rubber strips for double inward-opening windows
* Multi-seal rubber strips (improves overall performance)
* Combined bevel/flat pressing lines (mixed design)




Standard:
HOPO Lever Handle with Base




Optional:
HOPO Lever Handle without Base



YOUNG AND FREE



ZJ:110 Double inward-opening structure



ZJ:120 Double inward-opening structure



ZJ:110/120 Integrated Screen and Window Sliding Door



110 系列



120 系列

PRODUCT FEATURES

* Flush Threshold for Casement Door: Smooth, obstruction-free & easy to clean.
* 3D Bevel Pressing Line: Minimalist design, elevates style, fits all decor.
* Simonswerk Hardware: U.S. craftsmanship, durable, smooth finish & fade-resistant.

Frame Width	110mm/120mm	
Visible Width	Frame 30mm/Sash 78mm	
Glass Configuration	5mm+20A+5mm	
Opening Method	Outward-opening	



NS:183 Double inward-opening tilt-and-turn system window

PRODUCT FEATURES

* PA66GF25 Multi-chamber Strip: Insulation, Flame-retardant & Anti-aging
* 1.8mm 6063-T5 Aerospace-grade Aluminum
* Bevel Pressing Line: Minimalist Style
* Flush Frame Design: Sleek & Premium Look
* 5+20A+5 Auto-grade Glass (Insured·3C Certified)
* Glue-free Outdoor Install: Easier
* Auto-grade EPDM Seal: Superior Sealing
* Hidden Drainage: Unobstructed & Weather-resistant
* Vertical Isotherm: Insulation
* Standard Plus Alloy Mesh: Sturdy & Rust-proof
* Dual Inward-opening Sash: Easy Screen Cleaning
* Antai Sealant: Weather-resistant & Odorless
* Upgraded 3-seal: Optimized Duckbill Glue
* Hidden Sub-frame: Safe & Easy Install





NS:83 Single-Panel Casement Window





PRODUCT FEATURES

* PA66GF25 Multi-chamber Strip: Insulation, Flame-retardant & Anti-aging
* 1.8mm 6063-T5 Aerospace-grade Ti-Mg Aluminum
* Bevel Pressing Line: Minimalist Style
* Flush Frame Design: Sleek Premium Look
* 5+20A+5 Auto-grade Glass (Insured·3C Certified)
* Glue-free Outdoor Install: Easier
* Auto-grade EPDM Seal: Superior Sealing
* Hidden Drainage: Unobstructed & Weather-resistant
* Vertical Isotherm: Insulation
* Antai Sealant: Weather-resistant & Odorless
* Upgraded 3-seal: Optimized Duckbill Glue

NS:83 Single-panel swing door

PRODUCT FEATURES

* PA66GF25 Multi-chamber Strip: Insulation, Flame-retardant & Anti-aging
* 1.8mm 6063-T5 Aerospace-grade Titanium-Magnesium Aluminum
* Bevel Pressing Line: Minimalist Style
* Flush Frame Design: Sleek Premium Look
* 5+20A+5 Automotive-grade Glass (Insured·3C Certified)
* Glue-free Outdoor Installation: Easier
* Automotive-grade EPDM Seal: Superior Sealing
* Hidden Drainage: Unobstructed & Weather-resistant
* Vertical Isotherm: Insulation
* Antai Sealant: Weather-resistant & Odorless
* Upgraded 3-seal: Optimized Duckbill Glue





High-end quality

One-stop space solutions

WJ:115 Minimalist Integrated Window Screen Outward-Opening Window



PRODUCT FEATURES

* PA66GF25 Multi-chamber Strip: Insulation, Flame-retardant & Anti-aging
* 6063-T5 Aerospace-grade Ti-Mg Aluminum
* Square Pressing Line
* 5+20A+5 Auto-grade Glass (Insured·3C Certified)
* Glue-free Outdoor Install: Easier
* Auto-grade EPDM Seal: Superior Sealing
* Floor Drain System: Unobstructed & Weather-resistant
* Vertical Isotherm: Insulation
* Standard Plus Alloy Mesh: Sturdy & Rust-proof
* Optional Frame Glue Injection
* Opening: Outward/Top-hung
* Antai Sealant: Weather-resistant & Odorless
* Flush Sash Frame: Sleek Premium Look
* Upgraded 3-seal: Optimized Duckbill Glue
* Hidden Sub-frame: Safe & Easy Install

Side-mounted handle for fabric fan, minimalist handle for glass fan









MODERN AESTHETICS

The flush-mounted frame and sash design achieves a visually seamless surface with exceptional overall flatness, creating a more elegant and sophisticated appearance. Through structural innovation, it redefines the safety, sealing, and durability of doors and windows.

High-end quality

Doors and windows


One-stop space solutions


XJ:V45 Thermal Break Medium-Narrow Sliding Door (Suspended)





PRODUCT FEATURES

* Dual Thermal-break Frame + PA66 Strip:
Double Heat Blocking
* 45mm Slim Sash: Minimalist, Practical & Transparent
* Mixed-width Sashes:
Optional 26mm Reinforced Sash (Full-height Style)
* Optional Bullet-shaped Reinforced Sash:
Arc Handle + Reinforced
* Widened Lock Slot: Tighter Locking
* Low-resistance Double Wheels: Smooth & Stable
* Double-layer High Track: Anti-rain Backflow
* Floating Bottom Track: Flush Floor, Unobstructed
* Optional Bottom Drain Slot: Pre-reserved Drainage, Stylish












XJ:V66 Thermal Break Lift-and-Slide Door




PRODUCT FEATURES

* Dual Thermal-break Track + PA66 Strip: Double Heat Blocking
* 66mm Sash: Minimalist, Practical & Transparent
* Optional Simonswerk Lift Hardware: Professional Lift, Full Sealing
* Mixed-width Sashes: Optional 26mm Reinforced Sash (Full-height Style)
* Optional Bullet-shaped Reinforced Sash: Arc Handle + Reinforced
* Widened Lock Slot: Tighter Locking
* Low-resistance Double Wheels: Smooth & Stable
* Double-layer High Track: Anti-rain Backflow
* Optional Full-movable/Fixed+Sliding Design: Multi-scenario
* Optional Screen: Pleated/Invisible/Sliding
* Optional Bottom Drain Slot: Pre-reserved Drainage, Stylish

(Can be configured as one fixed and one movable panel,
with left/right fixed glass and a movable center panel)
Simic Lift Hardware / Sliding Handle / Laminated Glass Railing / Pleated Screen / Invisible Screen


WT:150 Panoramic Floating Sliding Door

Ailoni Electronic Control System Hardware Electric/Manual Option Available



QUALITY STARTING FROM THE DOOR

Choosing an ultra-heavy panoramic door means embracing a high-quality lifestyle that elevates your home to new levels of sophistication.



Two-track sliding door with two panels





FUNCTION AND ART

TO BETTER HIGHLIGHT THE TRANSPARENCY AND TEXTURE OF THE VISUAL SPACE. THE SOFT LIGHTING ADDS A SENSE OF SPATIAL HIERARCHY AND CREATES A RELAXING ATMOSPHERE.

High-end quality


One-stop space solutions

WT:150 Electric Lift Window



PRODUCT FEATURES

* Profile: 6063-T5 Primary Aluminum (Powder Coated)
* Thickness: Frame 2.0mm; Sash 5.0mm
* Wall Clearance: 150mm
* Max Size: 4800mm(W)×2800mm(H)
* Standard Glass: 6mm+18A+6mm
* Features: LCD Screen, Dual Servo Motor Drive, Ultra-quiet
* Auto Balance & Stroke Learning
* Hardware: HOPO Smart Control (24V Safe Voltage)
* Drainage: Floor Drain Type
* Functions: Remote Control; Smart Voice/Rain Auto-close/Sensors; Quiet/Fast Modes; Self-check/One-key Stroke; Smart Home Compatible (485 Protocol/Dry Contact)



CHANGE
ONE'S HOME LIFE




Integrated Windproof Screen

Electric integrated protective screen lowers synchronously with window opening—safety design eliminates home hazards.



Smart Rain Sensor System

Sensor detects weather changes—auto-closes window when it rains. Stay in control, worry-free when out.



Anti-pinch Sensor

Smart anti-pinch strip with instant response—stops on contact. Eliminates hazards, safeguards home safety.



Ambient Lighting

Adjust brightness freely; one-click to set the mood. Embrace the night, wander the starry sea.



Backup Power

Optional 24V portable power bank with high-performance, safe lithium battery. Connect instantly during outages—reliable startup, worry-free home protection.

